

POWERTRAX No-Slip Traction System

Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Open Differential	GM Gov Lock	Dana Trac Lock
Jimmy (S15)									
Front Axle (see notice at end of page 4)									
	1991 - 2000	GM	7.2" rg	26					
Rear Axle									
	1995 - 2000	GM	8.5" rg	30	10	Z71 OPT/RPO G87	92-0785-3005		
	1988 - 2000	GM	7.625" rg	28	10	4WD V6	92-0776-2805	92-0776-2885	
	1983 - 1992	GM	7.5" rg	26	10	2WD All & 4WD 4 CYL	92-0775-2605		
Jimmy (Full size)									
Front Axle (see notice at end of page 4)									
	1994	GM	9.2" rg	33		IFS w/turbo diesel	92-0792-3301		
	1992 - 1994	GM	8.2" rg	28		IFS w/6 lug			
	1989 - 1991	GM	8.5" rg	30	10	Beam Axle	92-0785-3005		
	1979 - 1988	GM	8.5" rg	28	10	Beam Axle	92-0785-2805		
	1969 - 1980	DANA	Model 44	30	10	See cover ID chart	92-0444-3000		92-0444-3020
Rear Axle									
	1992 - 1994	GM	9.5" rg	33	14	All w/14 bolt cover	92-0795-3305		
	1989 - 1994	GM	8.5" rg	30	10	All w/10 bolt cover	92-0785-3005		
	1982 - 1988	GM	8.5" rg	28	10		92-0785-2805		
	1969 - 1981	GM	8.875" rg	30	12		92-0788-3005		
Pick-Up (1/2-ton)									
Front Axle (see notice at end of page 4)									
	1988 - 2000	GM	9.2" rg	33		All w/turbo diesel	92-0792-3301		
	1988 - 2000	GM	8.2" rg	28		IFS 6 Lug			
	1978 - 1984	GM	8.5" rg	28	10	See cover ID chart	92-0785-2805		
	1963 - 1980	DANA	Model 44	30	10	See cover ID chart	92-0444-3000		92-0444-3020
Rear Axle									
	1988 - 2000	GM	8.5" rg	30	10	All w/10 bolt cover	92-0785-3005		
	1988 - 2000	GM	9.5" rg	33	14	All w/14 bolt cover	92-0795-3305		
	1978 - 1988	GM	8.5" rg	28	10	See cover ID chart	92-0785-2805		
	1969 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover	92-0788-3005		
	1969 - 1977	DANA	Model 44	30	10	See cover ID chart	92-0444-3000		92-0444-3020
	1968 - 1972	DANA	Model 44	30	10		92-0444-3000		92-0444-3020
Pick-Up (3/4-ton)									
Front Axle (see notice at end of page 4)									
	1989 - 2000	GM	9.2" rg	33	14	IFS w/8 lug	92-0792-3301		
	1988 - 2000	GM	8.2" rg	28	10	IFS w/6 lug			
	1989 - 1991	GM	8.5" rg	30	10	Beam Axle	92-0785-3005		
	1978 - 1988	GM	8.5" rg	28	10	VIN # R/V	92-0785-2805		
	1968 - 1980	DANA	Model 44	30		See cover ID chart	92-0444-3000		92-0444-3020
Rear Axle									
	1973 - 2000	GM	9.5" rg	33	14	Semi-floating axle	92-0795-3305		
	1973 - 2000	GM	10.5" rg	30	14	Full-floating Axle	92-0705-3000		
	1975 - 1977	DANA	Model 60	35	10	See cover ID chart	92-0460-3500		92-0460-3520
	1965 - 1974	DANA	Model 60	30	10	See cover ID chart	92-0460-3000		92-0460-3020

							POWERTRAX No-Slip Traction System		
Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Open Differential	GM Gov Lock	Dana Trac Lock
Pick-Up (1-ton)									
Front Axle (see notice at end of page 4)									
	1988 - 2000	GM	9.2" rg	33		IFS w/VIN # C/K	92-0792-3301		
	1977 - 1991	DANA	Model 60	35	10	VIN # R/V	92-0460-3500		92-0460-3520
Rear Axle									
	1992 - 2000	DANA	Model 80	37	10	HD opt			
	1989 - 2000	GM	9.5" rg	33	14	Canada,SF Axle	92-0795-3305		
	1973 - 2000	GM	10.5" rg	30	14	w/14 bolt cover	92-0705-3000		
	1973 - 1991	DANA	Model 70	35	10	All w/10 bolt cover	Spring 2001		
S15									
Front Axle (see notice at end of page 4)									
	1991 - 2000	GM	7.2" rg	26					
Rear Axle									
	1995 - 2000	GM	8.5" rg	30	10	Z71 OPT/RPO G87	92-0785-3005		
	1988 - 2000	GM	7.625" rg	28	10	4WD V6	92-0776-2805	92-0776-2885	
	1983 - 1992	GM	7.5" rg	26	10	2WD All & 4WD 4 CYL	92-0775-2605		
Safari									
Front Axle (see notice at end of page 4)									
	1990 - 2000	GM	7.2" rg	26					
Rear Axle									
	1990 - 2000	GM	7.625" rg	28	10		92-0776-2805	92-0776-2885	
	1985 - 1989	GM	7.5" rg	26	10		92-0775-2605		
Sierra									
Front Axle (see notice at end of page 4)									
	1999 - 2000								
Rear Axle									
	1999 - 2000	GM	8.6" rg	30	10		92-0786-3005		
Sonoma									
Front Axle (see notice at end of page 4)									
	1991 - 2000	GM	7.2" rg	26					
Rear Axle									
	1995 - 2000	GM	8.5" rg	30	10	Z71 OPT/RPO G87	92-0785-3005		
	1988 - 2000	GM	7.625" rg	28	10	4WD V6	92-0776-2805	92-0776-2885	
	1983 - 1992	GM	7.5" rg	26	10	2WD All & 4WD 4 CYL	92-0775-2605		
Suburban (1/2-ton)									
Front Axle (see notice at end of page 4)									
	1992 - 1999	GM	8.2" rg	28		IFS w/o turbo die			
	1989 - 1991	GM	8.5" rg	30	10	Beam axle	92-0785-3005		
	1977 - 1988	GM	8.5" rg	28	10		92-0785-2805		
	1965 - 1980	DANA	Model 44	30	10		92-0444-3000		92-0444-3020
	1965 - 1968	DANA	Model 60	35	10	series only - Heavy D	92-0460-3500		92-0460-3520
Rear Axle									
	1992 - 2000	GM	9.5" rg	33	14	All w/14 bolt cover	92-0795-3305		
	2000	GM	8.6" rg	30	10	All w/10 bolt cover	92-0786-3005		
	1989 - 1999	GM	8.5" rg	30	10	All w/10 bolt cover	92-0785-3005		
	1978 - 1988	GM	8.5" rg	28	10	All w/10 bolt cover	92-0785-2805		
	1965 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover	92-0788-3005		
	1965 - 1972	DANA	Model 60	30	10		92-0460-3000		92-0460-3020
	1965 - 1968	DANA	Model 44	30	10		92-0444-3000		92-0444-3020

							POWERTRAX No-Slip Traction System		
Vehicle Make	Year Range	Manufacturer of Axle	Axle Model	Spline Count	Cover Bolts	Special Notes	Open Differential	GM Gov Lock	Dana Trac Lock
Suburban (¾-ton)									
Front Axle (see notice at end of page 4)									
	1992 - 2000	GM	9.2" rg	33		IFS w/8 lug	92-0792-3301		
	1992 - 1999	GM	8.2" rg	28		IFS w/6 lug			
	1989 - 1991	GM	8.5" rg	30	10	Beam axle	92-0785-3005		
	1978 - 1988	GM	8.5" rg	28	10	Beam axle	92-0785-2805		
	1963 - 1980	DANA	Model 44	30	10	See cover ID chart	92-0444-3000		92-0444-3020
Rear Axle									
	2000	GM	8.6" rg	30	10		92-0786-3005		
	1981 - 1999	GM	9.5" rg	33	14	F Axle w/14 bolt cover	92-0795-3305		
	1973 - 1999	GM	10.5" rg	30	14	F Axle w/14 bolt cover	92-0705-3000		
	1989 - 1991	GM	8.5" rg	30	10	All w/10 bolt cover	92-0785-3005		
	1977 - 1988	GM	8.5" rg	28	10	All w/10 bolt cover	92-0785-2805		
	1969 - 1980	DANA	Model 44	30	10	See cover ID chart	92-0444-3000		92-0444-3020
	1968 - 1980	DANA	Model 60	30	10	See cover ID chart	92-0460-3000		92-0460-3020
Vans (½-ton)									
Rear Axle									
	1999 - 2000								
	1989 - 1998	GM	8.5" rg	30	10	All	92-0785-3005		
	1979 - 1988	GM	8.5" rg	28	10	All	92-0785-2805		
	1965 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover	92-0788-3005		
	1964 - 1971	GM	8.2" rg	28	10	All w/10 bolt cover	Spring 2001		
Vans (¾-ton)									
Rear Axle									
	1999 - 2000								
	1996 - 1998	GM	10.5" rg	30	14	F Axle, w/14 bolt cover	92-0705-3000		
	1996 - 1998	GM	9.5" rg	33	14	F Axle, w/14 bolt cover	92-0795-3305		
	1989 - 1996	GM	8.5" rg	30	10	All w/10 bolt cover	92-0785-3005		
	1979 - 1988	GM	8.5" rg	28	10	All w/10 bolt cover	92-0785-2805		
	1965 - 1981	GM	8.875" rg	30	12	All w/12 bolt cover	92-0788-3005		
Vans (1-ton)									
Rear Axle									
	1999 - 2000								
	1983 - 1998	GM	9.5" rg	33	14	F Axle, w/14 bolt cover	92-0795-3305		
	1973 - 1998	GM	10.5" rg	30	14	F Axle, w/14 bolt cover	92-0705-3000		
	1975 - 1991	DANA	Model 70	35	10	DRW 7500 gww	Spring 2001		
	1974 - 1991	DANA	Model 60	35	10	DRW 6200 gww	92-0460-3500		92-0460-3520
Yukon									
Front Axle (see notice at end of page 4)									
	1994 - 1999	GM	9.2" rg	33		IFS w/turbo diesel	92-0792-3301		
	1992 - 1999	GM	8.2" rg	28		IFS w/6 Lug			
Rear Axle									
	1992 - 1999	GM	8.5" rg	30	10		92-0785-3005		
Yukon XL - Suburban									
Front Axle (see notice at end of page 4)									
	2000	GM							
Rear Axle									
	2000	GM	8.6" rg	30	10		92-0786-3005		

NOTICE REGARDING ACCURACY OF THIS GUIDE:

Powertrax has attempted to make this Application Guide as accurate as possible. However, Powertrax cannot guarantee correctness. Identical model vehicles may have different axles or differentials than stated in this guide depending on original options ordered and other factors. It is advisable to check the vehicle to determine precisely which differential and axle are present. **IF YOU HAVE ANY QUESTIONS, PLEASE DON'T HESITATE TO CONTACT US AT 800-578-1020.**

NOTICE REGARDING FRONT AXLE APPLICATIONS:

The Powertrax No-Slip Traction System works well on the front axle of 4-wheel drive vehicles provided a couple of important guidelines are followed. The Powertrax No-Slip Traction System should be used only on vehicles equipped with locking hubs on the front axle or with front axle disconnect. In addition, the vehicle must not be equipped with full time 4-wheel drive. Vehicles equipped with a Powertrax No-Slip Traction System on the front axle should not be operated on the highway with the front hubs locked and 4-wheel drive engaged. Following these guidelines will ensure very on-road driveability while still providing maximum off-road traction.